COURT REMANDS BOILER MACT LIMITS TO EPA

In a unanimous March 16th decision, the U.S. Court of Appeals for the District of Columbia upheld the use by EPA of "Work Practice Standards" in lieu of numeric emission limits during boiler start up and shut down. This action rejected environmentalist's arguments. A 2015 EPA Rule setting Maximum Achievable Control Technology (MACT) for boilers was found to have failed to explain why a limit of 130 parts per million of carbon monoxide is an acceptable surrogate for individual emissions for different air toxics.

One of the judges, Nina Pillard, wrote that EPA did not adequately justify its change of direction on the carbon monoxide limits because it failed to explain how the revised limits would minimize the targeted pollutants to the extent the Clean Air Act requires. Petitioners for the case were the Sierra Club and the EPA were considered respondents. The America Chemistry Council were intervenors.



DIRECTORY

Corporate Headquarters 215 West Church Road King of Prussia, PA 19406 Phone: (610) 265-1510 / FAX: (610) 265-0687

New Jersey
Pureland Complex, Suite 306
510 Heron Drive, P.O. Box 521
Bridgeport, NJ 08014
Phone: (856) 467-2276 / FAX: (856) 467-3476

Southwest Pennsylvania 591 East Maiden Street Washington, PA 15301 Phone: (724) 206-0348 / FAX: (724) 206-0380

E-mail: RTENV@AOL.COM
World Wide Web: HTTP://RTENV.COM

24 HOUR URGENT LINE SERVICE 800-725-0593

Corporate Headquarters

215 West Church Road Suite 301 King of Prussia, PA 19406

Phone: (610) 265-1510 FAX: (610) 265-0687 Directory
New Jersey

510 Heron Drive P.O. Box 521

Suite 306, Pureland Complex Bridgeport, NJ 08014 Phone: (856) 467-2276 FAX:

(856) 467-3476

Southwest Pennsylvania

591 East Maiden Street Washington, PA 15301 Phone: (724) 206-0348

FAX: (724) 206-0380

E-mail: RTENV@AOL.COM / World Wide Web: HTTP://RTENV.COM **24 HOUR URGENT LINE SERVICE: 800-725-0593**

RT Environmental Services, Inc., 215 W. Church Road, King of Prussia, PA 19406

SafeUnsubscribe™ {recipient's email}

Forward email | Update Profile | About our service provider

Sent by lcarr@rtenv.com